


# **Product Overview** Reliable solutions for all industries









www.craemer.com

## **Plastic Pallets**

Product range for efficient pallet logistics

## L Pallets

The ultimate logistics plastic pallet

- Optimised for automated systems in intralogistics
  Ideal for use in food/food processing applications
- EURO L1®: Alternative to wooden Euro pallet, offers same functional measurements and runs in mixed operation with wood







EURO L1® 1200 × 800 × 150 mm Standard colours:



1200 × 1000 × 160 mm Standard colours:



1200 × 800 × 150 mm Standard colours: 🔳

A1

TC1

1200 × 800 × 160 mm

Standard colours:



Perfect for automation

- Optimised for automated systems in intralogistics Alternative to wooden Euro pallet, offers same functional measurements and runs in mixed
- operation with wood
  Perfect for non-food and industrial applications
- Options\* - Rims Reinforcement profiles - Anti-slip clips (lower deck)



## **TC** Pallets

The benchmark in the closed pallet market

- Completely closed for unrivalled cleanliness and
- hygiene
- High stability, designed for loads of up to 2 tons
  Particularly break-resistant construction •
- TC Palgrip<sup>®</sup>: Version with full-surface anti-slip deck for unique load safety
- Options\*: Rims - Reinforcement profiles Palgrip

## **CR** Pallets

- Maximum performance
- Heavy-duty pallet for tough applications and
- permanently high loads E xtremely robust with low deflection •
- Large-scale anti-slip segments offer high load safety
- Options\*: Rims - Reinforcement profiles Palgrip







TC1 Palgrip®

1200 × 800 × 160 mm

Standard colours:

CR3/CR3-5 1200 × 1000 × 160 mm Standard colours:



TC3/TC3-5

1200 × 1000 × 160 mm Standard colours:

TC3/TC3-5 Palgrip\*

1200 × 1000 × 160 mm Standard colours:

CR4/CR4-5 48 × 40 × 5.9" (1219 × 1016 × 150 mm) Standard colours:



**E** Pallets Performance across all industries

• Ideal for a variety of application areas

- Reliable thanks to robust design ۰
- Suitable for heavy loads







## **H** Pallets

#### A benchmark in hygiene

- Standard in the food processing industry with
- Ideal for applications with medium loads
   EURO H1: Exchangeability thanks to GS1 certification









EURO H1 with central box retainers 1200 × 800 × 160 mm Standard colours:

**H1** 1200 × 800 × 160 mm H<sub>3</sub> 1200 × 1000 × 160 mm Standard colours: Standard colours:





## **CS** Pallets

**D** Pallets

• Options\*: - Rims

**NP** Pallet Robust and nestable

• Options\*: - Rims

•

•

RFID

#### Multi-talented across many industries

- Multi-talent with many equipment options

- Can be customised depending on application
  Almost completely closed top deck
  Ideal for medium loads, can be optionally equipped with 4 reinforcement profiles for higher loads • Options\*: - Rims



From light weight to heavy duty loads • Lightweight plastic pallet for light to medium Particularly reliable compared to alternatives on the market thanks to use of high-quality materials

• Customisable to suit individual applications

 Nestable for high volume reduction when transporting empty Anti-slip pads on the deck for increased load safety

Easy de-nesting with forklift truck thanks to recesses above entry openings

- Reinforcement profiles
- Anti-slip pads (upper deck)
- Anti-slip clips (lower deck)

Palgrip

- Reinforcement profiles - Anti-slip plugs







D1 1200 × 800 × 150 mm Standard colours:



D3/D3-5 1200 × 1000 × 150 mm Standard colours:





NP1 1200 × 800 × 146 mm Standard colours: ■



SL1 1200 × 800 × 120 mm Standard colours:



**SL** Pallet

Robust and lightweight



Lightweight pallet for light loads
Long feet and ribbing in the deck ensure robustness
Ideal for use as intermediate pallet thanks to

## Non-Stop Pallet

Developed for the printing industry

- Euro pallet with screw-fitted thermoformed •
- Specially developed for use with Heidelberg •
- printing machines Interruption-free processes in the production •
- sequence Welded runners for smooth running on automated systems •



1200 × 800 × 175 m

Standard colours:

800 × 600 × 160 mm

Standard colours:

CR2

Non-Stop







#### **Half Pallets** Easy to handle

- CR2: Easy handling, ideal for all distribution
- Processes
  H2: Hygienic pallet, usable with standardised box
- systems (E boxes), ideal access through 800 mm side
  D2: Robust half pallet with reinforced runners (low
- deflection), reliable alternative to Düsseldorfer pallet

#### • Options\*: - Rims (CR2, H2, D2) - Central box retainers (H2) - Anti-slip plugs (D2)

(D2)

## **Pallet Collar**

Easy, foldable handling

- Compatible with plastic and wooden pallets
   Locking edges for secure stacking of additional pallets
   Enables hassle-free and flexible palletising
- Options\*: Rims RFID





CC1

1220 x 815 x 300 mm

Standard colours:

H2 800 × 600 × 160 mm Standard colours: D2 800 × 600 × 160 mm Standard colours:



## **Pallet Lids**

Stackable and precise fit

- Minimises product damage and protects your shipment Made from high-quality PE
- •
- Robust construction, covers perfectly
  Suitable for use with all standard reusable boxes such as KLTs and E-boxes



Pallet Lid 800 × 600 mm Universal Version Standard colours:

Pallet Lid 800 × 600 mm CR2 Version Standard colours: Pallet Lid 800 × 600 mm D2 Version Standard colours:







Automotive Pallet Lid 800 mm Standardfarben:



Pallet Lid 1200 × 1000 mm Standard colours:

## **Large Load Carriers**

High volume and robust

## **Pallet Boxes**

## **CB** Pallet Boxes

High volume. Robust. Food grade.

- One-piece injection-moulded with 3 runners •
- Reliable break resistance thanks to high wall thickness •
- Smooth interior walls with large radii, ideal for bulk goods

- Integrated interlocking corners
  Ideal interlocking corners
  CB3 High: Particularly high volume
  CB UN boxes: UN-certified according to 4H2, suitable for dangerous goods (e.g. lithium batteries)
- Options\*: - Lateral trunnions (CB3 High)





1200 × 800 × 740 mm Standard colours: 



1200 × 1000 × 740 mm Standard colours: 



Standard colours:





 $(\mathcal{H})$ 







۲**י**ך

CB1 470 | for dangerous goods, with lashing straps and lid UN-4H2 1200 × 800 × 765 mm Standard colours:

CB3 610 | for dangerous goods, with lashing straps and lid UN-4H2 1200 × 1000 × 765 mm Standard colours:

Lid CB1 1236 x 836 mm Standard colours:

Lid CB3 1237 × 1036 mm Standard colours:

## **SB** Pallet Boxes

#### Extremely robust

- One-piece injection-moulded with 3 runners or 9 feet
- High load capacity thanks to stable base Euro stacking systems (all-around stacking shoulder)
- • Closed version: Straight, smooth interior walls for
- ideal filling

   Perforated version: maximally perforated walls and
- base for perfect permeability



## **HB** Pallet Boxes

- Hygienic and extremely robust
- World's first completely closed pallet box Rib-free construction for ideal hygiene ۰
- . Extremely easy to clean
- Ideal for heavy loads (up to 1900 kg) •
- Smooth interior walls with large radii, ideal for bulk goods •

6

Closed runners for smooth conveyor handling

• Options\*: - Open drain ports Reinforcement profiles - Anti-slip runners - Different coloured upper part possible /





SB3 610 | with runners and closed sides 1200 × 1000 × 790 mm Standard colours:

HB3 620 I

1200 × 1000 × 790 mm

Standard colours:



SB3 610 I

with runners and perforated sides

. 1 200 x 1000 x 790 mm

Standard colours:

Lid HB3 1221 × 1019 mm Standard colours:







1221 × 1019 mm Standard colours:



SB3 610 I





۲Ţ

## **Pallet Boxes**

### **KUBO**

#### For heavy weights

- Compatible with Euro grid box, suitable for
- parallel or alternative use
  Guaranteed corrosion-free
- Easier handling thanks to lower tare weight (compared to metal grid box) Trouble-free use on all conventional conveyor

- Hoader the data of an conventional conversion of the systems
   Heavy-duty box for loads of up to 2100 kg
   Steel-reinforced base
   Large front drop door for easy loading and unloading
- Options\*:



#### **Nestable Large** Containers

#### 210-400

- Ideal for storage and transport
   Nestable, forklift accessible
- Smooth walls



KUBO 610 I

1240 × 835 × 973 mm Standard colours:





Stack & Nest **Container 300 l** 1200 × 780 × 630 mm Standard colours:



Container 400 l Accessories: Lid, trolley 945 × 725 × 830 mm Standard colours: □

7

### Universal Containers / **Grit Bins**

#### 210-400|

Ideal for various applications
Facilitate a safe and clean transportation




Universal Container / Grit Bin 400 l



## **Plastic Containers**

First-class quality for various applications



#### Stack & Nest Boxes / **Fish Boxes**

10-50 kg / 15-75 l

- Long lifetime, high manufacturing quality
  Break resistant, impact resistant
  Stackable, nestable, high volume reduction



Stack & Nest Box / Fillet Box 15 kg / 20 l 600 × 400 × 150 mm Standard colours:

Stack & Nest Box / Fish Box 30 kg / 32 l Accessories: Lid 600 × 400 × 225 mm Standard colours:



800 × 450 × 190 mm

Standard colours:



Stack & Nest Box / Euro Fish Box 25 kg / 40 l Accessories: Lid 800 × 400 × 225 mm Standard colours:



Stack & Nest Box / Fish Box 40 kg / 60 l 800 × 450 × 270 mm Standard colours:

600 × 400 × 125 mm Standard colours:

Stack & Nest Box / Fish Box 50 kg / 75 l 890 × 560 × 235 mm Standard colours: Craebox 50 kg/70 l 813 × 483 × 220 mm Standard colours:□

### **Containers for the Construction Industry**

20-2001

- Suitable for use in various trades
   Heavy quality with high wall thickness
   TÜV tested (FMK and D-SMK)



Bucket 30 l Ø 380 × 420 mm Standard colours:

Mortar Tub 90 l Accessories: Trolley Ø 628 × 385 mm Standard colours:

Mortar Tub (D-SMK) 90 l with coated tubular steel frame, Accessories: Trolley Ø 628 × 385 mm Standard colours:

**G**S

GS

Ready Mortar Skip (FMK) 200 l 990 × 665 × 490 mm Standard colours:

## **Universal Trough**

45 I

• Ideal for various applications • Facilitates a safe and clean transportation



910 × 700 × 90 mm Standard colours:

## **Poultry Transport Crate**

901

- Integrated door on the top
  Good ventilation characteristics
  Stackable



Poultry Transport Crate 90 l 840 × 495 × 295 mm On request Standard colours:

9

## **Wheeled Bins**

Product range for municipal and industrial applications







Accessories: Divider wall



3401/3601







340 | / 360 | Saloon Lid Accessories: Divider wall

## **MGBneo**<sup>4</sup> 660-1100 l

Standard colours:

Suitable for industrial applications and any kind of high-volume waste
Safe and robust lifting and emptying



770 I



1100 I





**1100 |** Lid-in-Lid



- Highest product quality for durability, even with Product quarty for derasting, creating, erecting, erectin
- of empty or partially emptied aerosol cans and containers (UN 1950)
- 2-wheel and 4-wheel wheelie bins MGBneo for disposal of clinical and medical waste (UN 3291)
- Standard colours:



660 I

120 I Waste aerosols container UN 1950



240 I Waste aerosols container UN 1950



3401/3601 Clinical waste container UN 3291





770 I Clinical waste container UN 3291









## DU 60-240 l

Self-centering container mounting
Fast and safe emptying
Robust due to specially shaped front area

Standard colours:











## **Sheet Steel** 240-1100

Suitable for oily and hot waste
Ideal for industry and garage



60 I

MGB sheet steel 240 l

MGB sheet steel 1100 l

MGB sheet steel 1100 l

DIN EN 840 EN ISO 1461

### **Sheet Steel** 2500-7500/8000 l

For applications with large waste volumes
Extremely robust

Rear-end loading container 2500 I, 3000 I, 5000 I, 7000 I (Images not to scale)



Front-end loading container 2500 l, 4500 l, 6500 l (Images not to scale)



Front-end loading container 2500 l, 5000 l, 7500/ 8000 l (Images not to scale)

EN 12574 EN ISO 1461

Please note: The acronym "MGB" is a standard European waste industry term used to describe a mobile garbage bin (wheelie bin).

Depending on the bin type, numerous extra features and fittings are available to individually adjust the container to fit your requirements. Different aperture options, locking systems, individual marking and sequential numbering as well as an ergonomic lid-in-lid solution for easy lid opening from both sides are available.

## Material High-quality and sustainable

## Craemer focuses on quality and sustainability. This begins with the general orientation of manufacturing durable and reusable products using only pure, high-quality PE that has been tested to high quality standards.

Craemer plastic pallets, pallet boxes, plastic boxes and wheelie bins are therefore all made from high-quality PE. This material offers high impact resistance, stability and durability. Compared to other plastics, PE can be used without breakages, even at low and sub-zero temperatures. It is highly resistant to acids, alkaline solutions and chemicals.

#### Redemption at the end of the pallets useful service life

Sustainable and future-oriented management of natural resources is our mission. This is why our responsible interaction with the environment includes the withdrawal of products from circulation due to their age, or as soon as they are no longer in good working order.

For Craemer products, that takes a long time (our customers' pallets have been in use for 10 years or more), but even for Craemer products, there comes a time to renew the old. Just contact us and we'll be happy to help. It is a good contribution to sustainable trade to start the recycling life-cycle again with this high-grade material.


## **Colours and Labelling**

### Flexibility for your colour management

Need a special colour? No problem, we offer a large range of standard and special colours. All Craemer products can of course also be personalised with lettering, logo and sequential numbering. (All custom requirements may be subject to minimum order quantities and production positioning. Details available upon request.)

The following labelling options are available:

- Hot stamping of logo, lettering or sequential numbering
- Logo insert in mould



Example: Logo (hot stamping)



Example: Lettering (hot stamping)

## **Quality Assurance**

In-house Testing Facilities


When planning and implementing product inspections, Craemer draws on its in-house expertise: Almost all the necessary testing facilities are available in our own laboratories. During the incoming goods inspection, product testing and initial sample inspection, our qualified team ensures that all items are of the required quality. For special tests or product certifications, we are in close contact with various external testing institutes.

#### Active inspections plastic products

- General appearance, processing
- Ageing tests
- Torque testing
- Pressure tests
- Bending tests
- Dynamic load tests (ball drop tests, corner drop tests)
- Weight inspections
- Hardness tests
- Climate tests
- Inspections by attributes and measures
- Practical tests (Roller conveyor tests, fork lift and lift truck tests)
- All types of special audits
- Static load tests
- Visual inspections
- Tensile tests and strength testing



Lifting and emptying test



Corner drop test



## **Plastic Pallets**



## Large Load Carriers

Standard colours: ■ Light grey ■ Basalt grey	<b>Pal<sup>grip</sup></b>	The Craemer HB3 pallet box is optionally available with Palgrip® anti-slip coating under the runners.
□ Basart grey □ White ■ Light blue ■ Blue ■ Red	RFID	Equipping Craemer pallet boxes with RFID transponders (UHF, HF) turns them into information carriers with huge potential for the entire supply chain.
Yellow Green Pale brown		UN certified
		The containers shown in this row are food-grade.

## **Plastic Containers**



## **Wheeled Bins**

Standard colours:	
Anthracite	
Blue	
Brown	
Red	
Yellow	
Green	

Awarded with the GGAWB-sign of the Quality Control Association of Waste and Recycling Containers (RAL)

Awarded the Blue Angel for special environmental friendliness

UN certified

۲

 $\bigcirc$ 



Do you have questions or require detailed information?

We look forward to your call / message.

Germany (Headquarters Export Department) Craemer GmbH Brocker Strasse 1 33442 Herzebrock-Clarholz | Germany Tel.: +49 5245 43-0 E-mail: info@craemer.com www.craemer.com



www.craemer.com

