

# activaTec®

## PACKAGING INNOVATIONS

**Born in Germany**  
produced for the World

**Europe-wide  
dealer network**

**We Go Paper**  
Page 19 - 25

**Manufacturer of  
Packaging material**

Own production  
Innovative products  
Attractive prices  
Fast delivery



Padding systems

Transport lock

Product protection

Adhesive tape

# About us

**1987**

Company founded by Torsten Maak with headquarters in Rahlstedt/Hamburg.

**1990**

Due to increasing demand, the company moves to a larger warehouse.

**1996**

The new building in Bad Oldesloe means that customers in the surrounding area can be supplied with goods quickly.

**2005**

New building in Stapelfeld with 850 pallet spaces. Distribution is being expanded throughout Germany.

**2012**

The activTec® team is growing. Two juniors actively support the company.

**2014**

Two more juniors strengthen activTec®. We are starting intensively with the export of our products.

**2017**

Globalisation is in full swing. A new company headquarters with a storage area of approx. 4000m<sup>2</sup> is being built on a 6500m<sup>2</sup> plot.

**2018**

activaTec really takes off!  
The company building with 4000 m<sup>2</sup> of storage space near Hamburg is completed posed. In addition, a second location is being built in Marienheide.

**2021**

In the meantime, Germany and abroad is entirely supplied from Marienheide. Finally, the construction of another company building in Reichshof begins.



*„We are constantly reinventing ourselves and  
always keep inspiring the market with our  
innovative packaging solutions“*

*Torsten Maak*

Torsten Maak  
Owner & Managing Director


# Manufacturer for packaging materials since 1987.



*A Brand Distributed Worldwide.*

## DEVELOPMENT PRODUCTION SERVICE

*As a manufacturer and developer of innovative packaging, we always guarantee the highest quality in our product range.*





# activaTape®



## Strong and reliable adhesive tape

Available in different quality levels

Hand adhesive tapes are still the most important and most widely used packaging materials in logistics. We offer you a clear selection of four high-quality grades. The PP adhesive tapes offer high tear resistance and are also available in the low-noise variant, which guarantees quiet unwinding.

### What makes our adhesive tapes unique?

It does not always make sense to use the most expensive and strongest adhesive tape. We provide you with exactly what you need. Nothing more, nothing less.



## Innovative PK6 adhesive

Naturally strong water-based adhesive

Especially for the industry, as well as for the mail order and on-line trade, inexpensive PP packing tape (polypropylene hand adhesive tape) has always been the second choice. But our new and innovative hand adhesive tapes uses a special adhesive formula that combines the best of the traditional glues, acrylic, hot melt and solvent. This resulted in our trend-setting PK6 adhesive. With this adhesive, we have been able to develop an adhesive tape that is inexpensive on the one hand and of high quality on the other. It is a water-based adhesive that is not only environmentally friendly, but can also withstand the most demanding requirements. Thus, depending on the desired quality level, our adhesive tapes can keep packages of up to 100 kg closed and that at temperatures down to -30 °C. This means you can use our adhesive tapes in cold stores or unheated storage rooms without any problems. The PK6 adhesive is also suitable for long storage or delivery routes, as it adheres even more strongly over time and does not lose its adhesive strength.



**NEW  
PK6**

PK6	Hotmelt	Solvent	Acrylic
✓	—	—	—

*The benefits of the three types of adhesive are used to produce an even more effective adhesive!*



**Cold-resistant  
down to -30 °C**

# activaTape® - adhesive tapes


## The innovative hand adhesive tape

Our activaTape® is available in different lengths and colours. Our 150 linear metre adhesive tapes are only compatible with our 2 inch hand dispensers.



### LIGHT 40 KG

<b>Foil thickness</b>	<b>23µ</b>
<b>Adhesive layer</b>	<b>15 µ (+/-1 µ)</b>
<b>Adhesive</b>	<b>PK6</b>
<b>Width (mm)</b>	<b>48, 72</b>
<b>Temperature</b>	<b>+ 60 °C // -30 °C</b>



#### Hand adhesive tapes

Length (m)	66, 132, 150
Core (inch)	2", 3"
Colour	Transparent, brown

### BASIC 60 KG

<b>Foil thickness</b>	<b>23µ</b>
<b>Adhesive layer</b>	<b>20 µ (+/-1 µ)</b>
<b>Adhesive</b>	<b>PK6</b>
<b>Width (mm)</b>	<b>18, 24, 48, 72</b>
<b>Temperature</b>	<b>+ 60 °C // -30 °C</b>



#### Hand adhesive tapes

Length (m)	66, 132, 150
Core (inch)	2", 3"
Colour	Transparent, brown, blue, red, yellow and white

#### Machine tape

Length (m)	990, 1500, 2000
Core (inch)	3"
Colour	Transparent, brown, blue and white

#### Printed adhesive tape

Length (m)	66, 132, 150, 990, 1500, 1700, 2000
Core (inch)	2", 3"
Colour	Positive and negative printing (up to 6 colours)

**NEW**  
2000 m

### POWER 80 KG

<b>Foil thickness</b>	<b>25µ</b>
<b>Adhesive layer</b>	<b>25 (+/-1 µ)</b>
<b>Adhesive</b>	<b>PK6</b>
<b>Width (mm)</b>	<b>48, 72</b>
<b>Temperature</b>	<b>+ 60 °C // -30 °C</b>



#### Hand adhesive tapes

Length (m)	66, 132, 150
Core (inch)	2", 3"
Colour	Transparent, brown, white and blue

#### Machine tape

Length (m)	990, 1500
Core (inch)	3"
Colour	Transparent, brown and blue

#### Printed adhesive tape

Length (m)	66, 132, 150, 990, 1500, 1700, 2000
Core (inch)	2", 3"
Colour	Positive and negative printing (up to 6 colours)

**PCV**  
**100 KG**

**Foil thickness** 35µ  
**Adhesive layer** 30 µ (+/- 1 µ)  
**Adhesive** PK6  
**Width (mm)** 48, 72  
**Temperature** + 60 °C // -30 °C



#### Hand adhesive tapes

Length (m) 66  
Core (inch) 3"  
Colour Transparent, brown

#### Machine tape

Length (m) 660  
Core (inch) 3"  
Colour Transparent, brown and blue

#### Printed adhesive tape

Length (m) 66, 660  
Core (inch) 2", 3"  
Colour Positive and negative printing (up to 6 colours)

## 150 running metre on a roll

More tape with the same roll diameter



**127%  
MORE**

The packing tape has a 2 inch core, which allows 127 % more adhesive tape to fit on a roll of the same diameter. Our 150 running metres of packing tape is available in various colours and quality levels. This PP adhesive tape is particularly economical, as there are less roll changes than with a standard 66 running metres of packing tape. This results in further economic benefits:



#### Less storage space

By using more adhesive tape for the same roll diameter, you need less storage space than before.



#### Less waste

Less waste is generated from adhesive tape cores, outer packaging and foils. This protects the environment and also your wallet.



#### Fewer delivery

More adhesive tape on a roll will save you time and delivery routes.



#### Lower CO<sub>2</sub> Emission

By reducing the number of delivery routes, you contribute to the reduction of CO<sub>2</sub> emissions.

## SAVE WITH THE 150 LFM TAPE

We assume an average annual consumption of 10 pallets of adhesive tape for a medium-sized company. This corresponds to 30,240 rolls. The number of rolls of 150 Lfm packing tapes per pallet corresponds to that of 66 running metres of adhesive tape. Based on this value, you can see your savings in the chart below. Every roll change is with calculated with 1.5 min. Average values of €25 per pallet for handling and €40 per pallet for storage costs were used to

determine the financial savings. Average values were used for the distance travelled by the truck. This results in both cost savings and CO<sub>2</sub> savings.



## UNWINDING



## SPECIAL TAPES



# activaAir®



## Efficient protection with activaAir®

**Minimum consumption - maximum protection**

Most protective padding uses an unnecessary amount of material, which in turn takes up a lot of storage space. Because air cushions consist of 99 % air, they offer not only reliable protection but also a space-saving and efficient solution. The transport distances for the procurement of the padding material can also be reduced, as our air cushions and mats are delivered on a roll, which are only filled with air at your order picking facility.

With the recyclable air cushions from activaTec® you also actively contribute to the protection of our environment. Simply cut in, let the air escape and save a lot of packaging waste.





# Air cushion or paper?

## Four reasons that speak for air cushion



### 1. LESS MATERIAL

Overall, you need much less material for padding/protection compared to paper padding.  
Air cushions consist of **99 % air** and only **1 % material**. This will not add any extra weight to your package.



### 2. 100% RECYCLABLE

activaAir foils are reusable and 100% recyclable. **This conserves natural resources** and the film are completely suitable for energy recovery.



### 3. LESS POLLUTANTS

Since air cushions only obtain their volume by being filled with air, the rolls are extremely space-saving. This means that they consume **significantly less CO<sub>2</sub>** during transport than paper, for example. Furthermore, even more pollutants are saved during production.

**3 x less carbon monoxide**



**6 x less nitrogen oxide**

**8 x less hydrocarbon**



### 4. LESS STORAGE SPACE

For example, activaAir film offers immense savings potential in delivery. **10 rolls of the air bag foil are equivalent to a truck full of Styrofoam chips**. This saves on the storage space required.



Did you know?

The production of 1 kg of plastic uses 23 times less water than paper.

# Air cushion machines from activaTec®

Securely pack shipping goods with activaAir®

Our efficient air cushion machines combine modern design, high functionality as well as flexibility and ensure a clean packaging result. Optimise your packaging process with a resource-saving air cushion machine. Work quieter, faster and more economically.

## LIGHT BP2001

For package volumes up to 50 pieces/day

**Production speed: up to 5 m/min**

- Produces air cushions or mats
- Suitable for smaller companies
- very good price-performance ratio
- Weight: 4 kg
- Light and compact design



## BASIC BP4000

Industrial machine for several 1000 packages/day

**Production speed: up to 15 m/min**

- Produces air cushions or mats
- Suitable for medium-sized and large companies
- Easy and very clear operation
- Weight: 6 kg
- Light and compact design



## POWER BP5000

If several packing stations are served by one machine

**Production speed: up to 33 m/min**

- Produces air cushions
- Suitable for packing centres
- Easy and very clear operation
- Weight: 6 kg
- Light and compact design



## COLUM BP9000

For extra-strong package base and package wall protection

**Production speed: up to 22 m/min**

- Weight: 20 kg
- Power consumption: 100-230 V
- Size: 65 x 65 x 38 cm
- Foil type: Columsfilm



Test now 14 days free of charge!

\* You only pay  
for what you use

# bubble wrap cushions, mats & tubes

Securely pack shipping goods with activaAir®

## BUBBLE WRAP CUSHION | Compatible with BP2001, BP4000 & BP5000



**NEW**

**HDPE -  
Multilayer foil**  
13μ  
200 x 130 mm  
2000 m

LP1137

Save even more material with the **LIGHT** Bubble wrap cushions from

The new bubble wrap cushion from activaAir® with only 13μ saves even more material and is therefore even more economical.



Please note that roll lengths from 1500 m can only be processed with the BP4000 and BP5000.



**HDPE -  
Multilayer foil**  
18 μ  
200 x 100 mm  
700 m;  
1500 m

BP2104 // BP2107



**HDPE -  
Multilayer foil**  
18 μ  
200 x 150 mm  
700 m  
1500 m

BP2154 // BP2157



**HDPE -  
Multilayer foil**  
18 μ  
200 x 200 mm  
700 m;  
1500 m

BP2204 // BP2207

## BUBBLE WRAP MATS | Compatible with BP2001 & BP4000



**HDPE -  
Multilayer film**  
18 μ  
2 air chambers  
400 x 230 mm  
450 m

BP8404



**HDPE -  
Multi-layer film/  
Also available ESD**  
18 μ  
4 air chambers  
400 x 320 mm  
450 m

BP8406



**HDPE -  
Multi-layer film/  
Also available ESD**  
18 μ  
7 air chambers  
400 x 330 mm  
450 m;  
300 m

BP8402 // NP8422



**HDPE -  
Multilayer foil**  
18 μ  
14 air chambers  
400 x 150 mm  
450 m

BP8426



**60 cm**

**HDPE -  
Multilayer foil**  
18 μ  
10 air chambers  
600 x 330 mm  
250 m

BP8422



**80 cm**

**HDPE -  
Multilayer foil**  
18 μ  
14 air chambers  
800 x 320 mm  
450 m

BP8442

## HEAVY DUTY BUBBLES & TUBES Compatible with BP9000



**LDPE + nylon**  
50 μ  
Bubbles  
400 x 355 mm  
190 m

TB3443



**LDPE + nylon**  
50 μ  
Tubes  
400 x 360 mm  
200 m

TT4433



**LDPE + nylon**  
50 μ  
Tubes  
600 x 360 mm  
200 m

TT4633

# Bio aircushions

## Biodegradable air cushion made from maize starch



By not using plastic, you not only get **efficient** protection for your goods, but a product that is extremely sustainable and environmentally friendly. We use **100% maize starch** for this air cushion

Article number	BG2104
Foil thickness	25 µ
Material	Maize starch
Size (mm)	100 x 200
Length (m)	700
Colour	Green



## Accessories & Spare Parts


Short pit stop and then into the next round



Sensor   
BP4030



Knife   
BP4010



Knife   
BP2010



Teflon tape   
BP4020




Teflon tape   
BP2021



Pedal   
BP4040



Wall mount   
BP5025



Rewinder   
BP5022



Trolley   
BP5020



# activaSystems®



## Individual packaging solutions

Packing stations customized to your needs

### OUR INNOVATIVE PACKING SYSTEM

Large corporations that send several 100,000 packages a day have different requirements than medium-sized companies. Therefore, we have made it our business to cater to the individual requirements of each company to find an efficient and cost-effective solution for you.

Our activaSystems® are designed for workstations where a large number of packages are packed and made ready for dispatch in the shortest possible time.

When developing our systems, quality, stability and order optimisation are our top priorities.

The packaging process becomes easier, faster and more user-friendly. Arrange a free consultation and planning of your individually configurable packing system. Optimise your packaging process!



Let us  
design & imple-  
ment a system  
together.

activaTape®

activaAir®

activaSystems®

activaBand®

activaStretch®

activaPaper®

activaWrap®

# Baskets & Systems

For pre-production of  
padding material



- Collecting basket
- 900 mm x 600 mm x 900 mm
- Can be used anywhere



- BP5035 TROLLEY MH**
- Collecting basket with machine attachment
  - 900 mm x 600 mm x 900 mm
  - Can be used anywhere




- BP5010 BLOW-IN SYSTEM**
- For the BP4000 and BP5000
  - Powerful





# activaBand®



## Lightning fast securing of pallets

### One product - many application possibilities

The activaBand® is a stretching tape that is suitable for all internal transport and storage processes and thus makes load securing more effective for in-house transport.

the pallets in your warehouse due to the different colour versions. This way you have a constant overview in your warehouse.

#### Benefits of our pallet stretching tapes:

Minimise **accidents**, **damage** and **breakage resulting** in a reduction of **associated costs**. Simply pull the pallet stretching tape over the boxes or goods stacked on the pallet. This simple but effective process allows you to **transport your filled pallets faster in the warehouse** and avoid time-consuming accidents.

In addition, the activaBand® can be used perfectly to mark



B49223 //  
B49213 // N49113 N49313 // N49413

#### Pallet stretching tape

Length (mm) 600, 1200,  
1400, 1600,  
1800  
Width (mm) 100  
Pcs/Unit 200, 100, 85,  
75, 65  
Colour Transparent



N19213

#### Pallet stretching tape - XL BOX

Length 1200  
(mm) 100  
Width (mm) 200  
Pcs/Unit  
Colour Transparent



B49000

#### Magnet Dispenser

The magnetic holder for the activaBand can be flexibly attached to all metallic objects. This ensures maximum flexibility within the packaging process.



B49211

#### Pallet stretching tape - Blue

Length 1200  
(mm) 100  
Width (mm) 100  
Pcs/Unit Blue  
Colour



B49215

#### Pallet stretching tape - Green

Length 1200  
(mm) 100  
Width (mm) 100  
Pcs/Unit Green  
Colour



N49218

#### Pallet stretching tape - Yellow

Length (mm) 1200  
Width (mm) 100  
Pcs/Unit 100  
Colour Yellow



B49212

#### Pallet stretching tape - Red

Length (mm) 1200  
Width (mm) 100  
Pcs/Unit 100  
Colour Red



Watch the  
application video  
on youtube

# activaStretch®



## Load securing with activaStretch®

### Extremely puncture resistant

With our hand stretch film you can choose between the versions **LIGHT** (for pallets up to 600 kg) - **BASIC** (for pallets up to 1000 kg) - and **POWER** (for pallets up to 1200 kg). In a special process, an extremely tear-resistant and very puncture-resistant stretch film was developed from high-quality raw materials. The activaStretch® products are equipped with an improved stretch-back force, which ensures greater stability. Our foils are available in the colours transparent, blue and black.



### HAND STRETCH FOIL

**LIGHT**  
600 KG

#### for pallets up to 600 kg

##### AVAILABLE IN

Quality	Light (Type17)
Length (m)	300, 600
Width (mm)	450, 500
Colour	Transparent and blue



L21523  
L21623  
L21624  
L21633

**BASIC**  
1000 KG

#### for pallets up to 1000 kg

##### AVAILABLE IN

Quality	Basic (Type 20)
Length (m)	300
Width (mm)	500
Colour	Transparent, black and blue



B41623  
B41624  
B41625

**POWER**  
1200 KG

#### for pallets up to 1200 kg

##### AVAILABLE IN

Quality	Power (Type23)
Length (m)	300
Width (mm)	500
Colour	Transparent, black



P81623  
P81624



# Machine stretch film

## 11-ply stretch film

Our machine stretch film is extremely puncture-resistant and has a high stretch-back force. With an extensibility of up to 300 %, the stretch film is very productive. Even more material can be saved with the **LIGHT+** and **LIGHT++**. With a thickness of only 12 - 15  $\mu$ , the consumption per pallet is very low, which also significantly reduces your packaging

waste. In addition, with a **LIGHT++** roll you have almost 900 m more available than with the regular **LIGHT** film.

**LIGHT++**  
600 KG

for pallets up to 1000 kg

AVAILABLE IN

Quality	Light   12 $\mu$
Length (m)	2900
Width (mm)	500
Stretch (%)	150, 300
Colour	Transparent



L51653  
L51663

**LIGHT+**  
600 KG

for pallets up to 1000 kg

AVAILABLE IN

Quality	Light   15 $\mu$
Length (m)	2320
Width (mm)	500
Stretch (%)	150, 300
Colour	Transparent



L41653  
L41663

**LIGHT**  
600 KG

for pallets up to 1000 kg

AVAILABLE IN

Quality	Light   17 $\mu$
Length (m)	2050
Width (mm)	500
Stretch (%)	150, 300
Colour	Transparent



L25653  
L25663

**BASIC**  
1000 KG

for pallets up to 1000 kg

AVAILABLE IN

Quality	Basic   20 $\mu$
Length (m)	300
Width (mm)	500
Stretch (%)	150, 300
Colour	Transparent, black



B45653  
B45654  
B45663

**POWER**  
1200 KG

for pallets up to 1200 kg

AVAILABLE IN

Quality	Power   23 $\mu$
Length (m)	300
Width (mm)	500
Stretch (%)	150, 300
Colour	Transparent, black



P85653  
P85654  
P85663

activaTape®

activaAir®

activaSystems®

activaBand®

activaStretch®

activaPaper®

activaWrap®



## PRE-STRETCHED HAND STRETCH FILM

Conventional hand stretch film needs to be stretched tightly when wrapping goods. The pre-stretched hand stretch film is much easier to work with and has a higher stretch-back force, which ensures a stronger fixation of the goods. You can get the pre-stretched stretch foils in the thicknesses Light and Basic.


"Which film thickness do I actually need?"

We are happy to help you.



040 66909460

### PRE STRETCHED



#### AVAILABLE IN

Quality	Light   6 µ, 7 µ
Length (m)	900, 600
Width (mm)	400, 430
Colour	Transparent, blue

L23743 // L34733

### PRE STRETCHED



#### AVAILABLE IN

Quality	Basic   8 µ
Length (m)	600
Width (mm)	400
Colour	Transparent, blue

B45733 // B45734

### MINI STRETCH



#### AVAILABLE IN

Quality	Basic   20 µ
Length (m)	150
Width (mm)	100
Colour	Transparent

B41213

## Accessories

### Everything for wrapping



K10702

**activaCutter-Safety knife**  
for opening cartons and removing stretch film



901913

**Sliding sleeves**  
For the comfortable unwinding of hand stretch film



901900

**Hand dispenser - stretch foil**  
With brake



901920

**Unwinder for mini stretch film**  
Unwinder for mini stretch film



SM3000

**Pallet wrapper SM3000**  
12 windings/min  
Pallet dimensions (max):  
L 1200mm (standard)  
W 800 mm  
H 2200 mm  
Max. load: 1000 Kg  
Foil thickness: 12 - 30 µ



901903

**Ergonomic stretch film unwinder**  
Up to 40 % material savings

# activaPaper®



## Packaging with activaPaper®

Everything of paper - for a better environment

**Do you prefer paper for packaging your goods?  
No problem!**

We also have an optimal solution for you here. From padding material to adhesive paper tapes, we offer everything you need to ship your goods. Paper is recyclable up to seven times and fully biodegradable, leaving no long-lasting residue. The renewable raw material enjoys great popularity, thanks in part to its sustainability.



### PAPER MAILING BAGS

#### TECHNICAL DETAILS

Dimensions (mm) 225 x 169 / 340 x 225 / 355 x 405

Outer material Paper

Padding material Paper/  
activaWrap®

Weight (g) 24 / 49 / 87

Self-adhesive Yes

The padding material used is our activaWrap®



AM1000 // AM1001 // AM1002



# PAPER

## 60 KG

## Adhesive paper tape from activaTape®

Environmentally friendly packaging with PaperTape

### B44022

quality	Basic
Length (m)	50
Width (mm)	48
Core (inch)	3"
Adhesive	PK6
Colour	Natural



### B44422

quality	Basic
Length (m)	100
Width (mm)	48
Core (inch)	2"
Adhesive	PK6
Colour	Natural



### B44462

quality	Basic
Length (m)	500
Width (mm)	48
Core (inch)	3"
Adhesive	PK6
Colour	Natural



### B44022-1 // B44022-2

quality	Basic
Length (m)	50, 100
Width (mm)	48
Core (inch)	2", 3"
Adhesive	PK6
Colour	Natural



The adhesive paper tapes from activaPaper® are available in the usual BASIC quality as our activaTapes®.

The adhesive paper tapes are doubly sustainable, as we use paper as a backing material and our water-based PK6 adhesive.

Our adhesive paper tapes are also available as machine tapes and printed variants.

This will give your company the attention it deserves. We will be happy to produce a print template for you in 1 or 2 colour printing.

1- or 2-  
colour print  
possible



# Gummed Tape Machine NK4000

Maximum transport and theft protection for packages

The NK4000 reliably seals packages and thus prevents unwanted opening. In addition, the NK4000 has numerous functions that make work in your warehouse much easier. The machine can automatically re-produce the same strip length or output different lengths in a freely programmable sequence. The colourful buttons help to keep an overview and thus ensure a rapid work flow.



## NK4000

### TECHNICAL DETAILS

Weight	12 kg
Speed	30 cm/s
Size (mm)	480 x 330 x 280
Voltage	200-230 V



## GUMMED TAPE

### NK4652

Strong	Standard
Length (m)	200
Width (mm)	70
Grammage (g/m <sup>2</sup> )	60
Colour	Natural



### NK4651 // NK4653

Strong	Standard
Length (m)	200
Width (mm)	70
Grammage (g/m <sup>2</sup> )	60, 70
Colour	White



### NK5652

Strong	Thread-reinforced
Length (m)	200
Width (mm)	70
Grammage (g/m <sup>2</sup> )	60
Colour	Natural



### NK5651 // NK5851

Strong	Thread-reinforced
Length (m)	200
Width (mm)	70
Grammage (g/m <sup>2</sup> )	60, 75
Colour	White



Also printed  
available!

# Filling systems and padding machine

## Environmentally friendly protection with activaPaper®

With our filling systems and paper padding machine, your products receive optimum protection for shipping. Our filling paper is ideal for void fill and optimises your packaging process in combination with our two filling systems. Here you can choose between the **LIGHT** variant and the **BASIC** machine with automatic section. Our paper padding is particularly suitable for sharp-edged goods. Bubble wraps are quickly punctured by metallic and sharp-edged objects. In the process, the air escapes and the protective function is omitted.

Whether for filling or padding out, with our activaPaper® your product can set off on its journey without hesitation.

### LIGHT PA2000

#### TECHNICAL DETAILS

Weight	19 kg
Production speed	85 m/min
Dimensions (mm)	910 x 910 x 1620
Power consumption	200 - 230 V
Colour	Black and white



### BASIC PA4000

#### TECHNICAL DETAILS

Weight	25 kg
Production speed	85 m/min
Dimensions (mm)	910 x 910 x 1620
Power consumption	200 - 230 V
Colour	Black and white



### POWER PA5000

#### TECHNICAL DETAILS

Weight	78 kg
Production speed	30 m/min
Dimensions (mm)	750 x 500 x 1260
Power consumption	200 - 230 V
Colour	Black and white



# Filling material and paper padding

## Environmentally friendly and reliable filling and padding

### PAPER FILLING MATERIAL | Compatible with PA2000 & PA4000 ■■



#### Filling material

50 g/m<sup>2</sup>  
381 mm  
500 m  
perforated

PA2200



#### Filling material

70 g/m<sup>2</sup>  
381 mm  
360 m  
perforated

PA2400

### PAPER PADDING MATERIAL | Compatible with PA5000 ■



#### Padding material

70 g/m<sup>2</sup>  
3-ply  
700 mm  
350 m

PA5400



#### Padding material

120 g/m<sup>2</sup>  
3-ply  
700 mm  
170 m

PA5500

### PAPER FILLING SYSTEM TO GO Manual operation



#### Padding material

80 g/m<sup>2</sup>  
380 mm  
250 m

PB1500



# activaWrap®




## Packaging with activaWrap®

### The natural alternative to bubble wrap

**activaWrap® is the environmentally friendly alternative to the bubble wrap.**

The honeycomb-like 3D structure interlocks during wrapping and guarantees the same product protection of fragile objects during transport as a plastic bubble wrap. The material consists of 100% die-cut power paper and is therefore a particularly environmentally friendly and innovative packaging solution. activaWrap® is ideal as protective packaging for all fragile objects.



In contrast to bubble wrap, a product packed with activaWrap® immediately acquires a high-quality appearance. This makes it ideal for packaging glassware, ceramics, jewellery and cosmetics.

#### **Adjust the packaging to your product:**

activaPaper® is also available in neutral white, red and black. This makes every one of your packages an eye-catcher.





# Unwinder and padding material

Everything packed in no time at all

## AW5000

### TECHNICAL DETAILS

Weight	15 kg
Operation	manual
Width (mm)	533
Depth (mm)	312
Height (mm)	283
Colour	Light grey



## ACTIVAWRAP® – MATERIAL

### Technical data

Width (mm)	395, 500
Length (m)	100, 250
Grammage (g/m <sup>2</sup> )	70, 90
Colour	Natural, white, red and

### Article numbers

Natural	AW4532, AW4552
Red	AW4554
Black	AW4553, AW4754
White	AW4551, AW4751



## APPLICATION



Fig. 1

Pull the activaWrap® apart and place the object to be padded on the material as shown in Fig. 1.



Fig. 2

Tension the wrapping material so that the honeycomb structure of the paper is vertical. Wrap the object to be padded while maintaining this tension.



Fig. 3

Tear off the paper after a few wraps. It holds its shape independently and protects your object from external force.



Follow us also on social media



# YOUR BENEFITS AT A GLANCE



## DIRECT AND PERSONAL

With us, you will have a personal contact person who will advise you and help you with any questions you may have.



## FAST DELIVERY

Your goods will be brought to you in the fastest and most efficient way.



## SAVINGS THROUGH OPTIMISATION

We optimise your packaging processes and materials and show the savings potential in your company.



## HIGH STOCK

With any short-term demand, we can deliver in the shortest possible time.



## TECHNICAL SUPPORT

Do you need help regarding one of your machines? No problem! Simply contact our technical support free of charge:  
+49 173 201 7348



## EUROPEWIDE

With our network of reliable logistics partners, we can offer our service throughout Europe.



## PRICE GUARANTEE

We provide you with a price guarantee through framework orders or for a fixed period of time.



## SAFETY & RELIABILITY

You can rely on the consistently high quality of our products.

# A Brand Distributed Worldwide!

**activaTec**<sup>®</sup>  
PACKAGING INNOVATIONS

activaTec International GmbH & Co. KG

NRW  
Höher Birken 1  
51709 Marienheide | Germany

Hamburg  
Braaker Bogen 7  
22145 Braak

Phone +49 (0)40 669094-60  
Fax +49 (0)40 669094-79

[sales@activatec.de](mailto:sales@activatec.de)  
[www.activatec.de](http://www.activatec.de)